



## Certificate of Analysis

## Compliance Test

## Client Information:

UPLIFT CBD COMPANY

4215 4TH STREET NORTH  
ST. PETERSBURG, FL 33703

Order # UPL230524-010001

Order Date: 2023-05-24

Sample # AAEM763

Batch # U10MGMUSHU01  
Batch Date: 2023-05-24  
Extracted From: MushroomSampling Date: 2023-05-25  
Lab Batch Date: 2023-05-25  
Completion Date: 2023-05-29Cultivation Date: 0000-00-00  
Production Facility: Uplift Health and  
Wellness  
Production Date: 2023-05-24  
Initial Gross Weight: 46.925 g  
Net Weight: 39.725 gNumber of Units: 2  
Net Weight per Unit: 19862.500 mg  
Sampling Method: MSP 7.3.1

Amanita Muscaria

Tested



## Amanita Analytes

Specimen Weight: 1508.580 mg

## Tested

SOP 13.058 (LCMS)

## Alkaloid Potency Summary

Total Alkaloids 0.544mg  
0.00274%Total Psilocybin + Psilocin  
Not DetectedTotal Amanita Analytes  
0.544mg  
0.00274%

## Pieces For Panel: 5

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Muscarine	3.65E-06	1.3E-5	0.0098	0.00098
Muscimol	8.81E-06	5.21E-5	0.0095	0.00095
Ibotenic acid	1.13E-05	5.21E-5	0.0081	0.00081

Prep. By: 1195 Date: 2023-05-25 23:20:34 Analyzed By: 1232 Date: 2023-05-25 15:39:02  
Reviewed By: 1050 Date: 2023-05-29 16:54:27 Lab Batch #: AAEM763-415 Date: 2023-05-29 16:54:27

Aixia Sun  
Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

